، برک	. 4			334.577.10 0 0 MAR 2002				
FORM PT (REV. 9-2		NT OF COMMERCE PATENT AND TRADEMARK OFFI		ATTORNEY'S DOCKET NUMBER				
		TER TO THE UNITED S		16319-105				
l		ECTED OFFICE (DO/EC FILING UNDER 35 U.S.C		U.S. APPLICATION NO. (If known, see 37 CFR 1.5				
INTER	RNATIONAL APPLICATION			PRIORITY DATE CLAIMED				
PCT.	/CH00/00479	7 September 2000	IO DATE	8 September 1999				
	MANUFACT	BAG, A CLOTH FOR MANUFACTURING THE SAID CLOTH	CTURING THE	E SAID BAG AND A METHOD FOR				
	ICANT(S) FOR DO/EO/US	Piero SCHINASI; Denn						
Applic	ant herewith submits to the Uni	ted States Designated/Elected Offic	e (DO/EO/US)	the following items and other information				
1. X	This is a FIRST submission of	f items concerning a filing under 35	U.S.C. 371.					
2.	This is a SECOND or SUBSE	QUENT submission of items conce	ming a filing u	nder 35 U.S.C. 371.				
_	nems (5), (6), (9) and (21) ind	heated below.		71(f)). The submission must include				
4. X	The US has been elected by th	ne expiration of 19 months from the	priority date (A	rticle 31).				
3. <u>X</u>		pplication as filed (35 U.S.C. 371(c) equired only if not communicated by		1 D				
		equired only it not communicated by ated by the International Bureau.	/ the internation	ial Bureau).				
		e application was filed in the United	1 States Receivi	ng Office (RO/US).				
6. X		on of the International Application as						
	 a. x is attached hereto. 							
		submitted under 35 U.S.C. I54(d)(4						
7.	Amendments to the claims of the International Aphication under PCT Article 19 (35 U.S.C. 371(c)(3))							
		required only if not communicated b	by the Internation	onal Bureau).				
		cated by the International Bureau.						
	CCC.	however, the time limit for making	such amendme	nts has NOT expired.				
	d. have not been made a							
		n of the amendments to the claims u	ınder PCT Artic	:le 19 (35 U.S.C. 371 (c)(3)).				
		nventor(s) (35 U.S.C. 371(c)(4)).						
10. X	An English lanugage translation Article 36 (35 U.S.C. 371(c)(5)	n of the annexes of the International)).	l Preliminary Ex	xamination Report under PCT				
Item	ns 11 to 20 below concern doc	ument(s) or information included:						
11. X	An Information Disclosure Se	tatement under 37 CFR 1.97 and 1.9	98.					
12. X	An assignment document for	recording. A separate cover sheet i	ın compliance w	vith 37 CFR 3.28 and 3.31 is included.				
13.	A FIRST preliminary amend	ment.						
14. 🔲	A SECOND or SUBSEQUE	NT preliminary amendment.						
15.	A substitute specification.							
16.	A change of power of attorne	y and/or address letter.						
17.	A computer-readable form of	the sequence listing in accordance v	with PCT Rule	13ter.2 and 35 U.S C. 1.821 - 1.825.				
18.X	A second copy of the publishe	ed international application under 35	5 U.S.C. 154(d)	0(4).				
19. X	A second copy of the English	language translation of the internat	ional applicatio	n under 35 U.S.C. 154(d)(4).				
20. X	Other items or information:	International Search Rep	ort					
		International Preliminar	y Examinat	ion Report				

U.S. APPLICATION NO JUNE	ነ/ ሽプ05	81	TERNATIONAL APPLICATION NO			ATTORNEYS DO 16319-1				
21. X The follow	ing fecs are submi	tted:			CAI	CULATIONS	PTO USE ONLY			
	L FEE (37 CFR 1.4									
Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.48(3(X))) paid to USPTO and International Search Report not prepared by the EPO or JPO										
International preliminary examination fee (37 CFR I 482) not paid to USPTO but International Search Report prepared by the EPO or JPO\$890.00										
International prelin but international se	ninary examination arch fee (37 CFR I	USPTO \$740.00								
International prelin but all claims did n	ot satisfy provision:	\$710.00								
International prelin	ninary examination	fee (37	CFR 1.482) paid to US	SPTO	j					
ENTE	R APPROPRI	ATE E	icle 33(1)-(4)	\$100.00	_					
					\$	890				
months from the ear	liest claimed priori	ty date		20 30	s					
CLAIMS Total claims	NUMBER FILE 6 - 20		NUMBER EXTRA	RATE	\$					
Independent claims	6 - 20		0	x \$18.00	s	0	<u> </u>			
MULTIPLE DEPEN				x \$84.00	S	0				
MODITIEE DETEN		<u> </u>	F ABOVE CALCU	+ \$280.00	-					
Applicant claim are reduced by	s small entity statu	s. See	37 CFR 1.27. The fees	indicated above		974 487	<u> </u>			
			SI	JBTOTAL =	\$	487	 			
Processing fee of \$13	30.00 for furnishin	g the Er	glish translation later th	an 20 30		487	 			
months from the earl	est claimed priorit	y date	(37 CFR 1.492(f)).		\$					
			TOTAL NATIO		\$	487				
Fee for recording the accompanied by an a	enclosed assignme ppropriate cover sh	ent (37 neet (37	CFR 1.21(h)). The assist CFR 3.28, 3.31). \$40.0	gnment must be 00 per property +	\$	40				
			TOTAL FEES EN	NCLOSED =	\$ 5	27				
					Amou	nt to be efunded:	\$			
						charged:	\$			
b. Please charg		ount No	to cover the cov			_ to cover the	above fees.			
c. X The Committee overpayment	c. X The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 23-3030 (but not issue fees). A duplicate copy of this sheet is enclosed.									
d. Fees are to be charged to a credit card. WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.										
NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137 (a) or (b)) must be filed and granted to restore the application to pending status.										
SEND ALL CORRESPO				C	4	.0.16	mil			
Clifford W. Br				SIGNATUR	- C	Zu V				
Woodard, Emhar Bank One Cente	:ut, Naughton er/Tower	, Mor	iarty & McNett	Cliffo	rd W	Browning	(]			
111 Monument (Circle, Suite			NAME		Ing				
Indianapolis, browning@world		04-51	37	32,201						
REGISTRATION NUMBER										

A cloth bag, a cloth for manufacturing the said bag and a method for manufacturing the said cloth

The present invention relates to a cloth bag, a cloth for manufacturing the said bag and a method for manufacturing the said cloth.

For the transportation and storage of goods in bulk, use is made of bags of woven cloth, notably made from synthetic material such as polypropylene or polyethylene in particular. Some of these, referred to as big bags in the circles concerned, are used for the transportation, handling and storage of the most diverse goods, but other smaller bags with the shape of a well-filled rectangular pillow are also used for smaller quantities. The methods for manufacturing the large and small bags are very similar and the manufacturers are mainly the same. All these bags are well known particularly in port, railway and road places.

The above information is given in order to give an idea and to determine overall what type of bags will be dealt with below. There is no limitative intention, with regard to the size, shape or particularities of such a bag, it is simply a case of a complete, very polymorphous category.

Depending on the nature of the product or goods to be transported, smaller or larger bags are used. In this case, it is historically with relatively small bags that the initial problem is posed. This is because, in order to package and transport sugar for example, use is made of 50 kilo bags, which are therefore relatively small, whose shape is very usual (bags of sand, cement, rice, etc.) and recalls the shape of a well-filled rectangular pillow. According to current technology, and particularly its most modern development, these bags are transported not in bulk but carefully stacked on pallets. At the present time, the filling of the bags, their closure, their movement by conveyer belts and then their

arrangement on pallets, have a tendency to be completely automated. The result is that any mishandling, slippage, etc. leads to the temporary paralysis of the entire line. Since on a pallet up to twenty 50 kilo bags are arranged, it will be realised that, if one of them slips, it draws other bags with it and ruins productivity. Automatic palletisation is not strictly the cause of the need, but it has been revealing of it.

In order to make the bags in question, use was made in the past of coarse jute canvas, which slipped little. However, for various reasons, some of which were clearly economical, the bags in question are at the present time produced from synthetic material and slide much more than jute bags did.

Briefly, it has become highly advantageous to be able to propose a bag which reconciles the advantages of modern technology, that is to say produced from synthetic material, and those of the earlier technology, that is to say which can offer a certain guarantee of stability if stacked.

In the field of bags there is known, for example from the document FR 2 259 926, a technique consisting in using threads of different qualities, the thread from one or more shuttles being chosen for its greater roughness.

There are also known, in fields other than that of bags, applications in which the tension of certain threads in a weave is acted on, by reducing it, either to form anchoring loops (DE 40 24 622 C) or to provide the cloth of a sail with a kind of maximum tension stop (DE 86 13 729).

The aim of the present invention is to propose a bag made from synthetic material whose texture means that it is possible to stack it better than normal bags made from synthetic materials, but without involving threads of different qualities.

3

To this end, the invention relates to a method for manufacturing, on a circular or flat weaving loom, a cloth with warp threads and weft threads, characterised in that in the weft at least one ribbon thread is used and in that there is applied to it a weaving tension less than that of the other weft threads, ribbons or not, a lesser tension chosen so that the said ribbon thread forms, on the surface of the cloth, projecting loops having at least one sharp edge, so that the coefficient of friction of the cloth is increased thereby, in particular the cloth/cloth coefficient.

The invention also relates to a cloth suitable for the manufacture of bags and having warp threads and weft threads, characterised in that at least one of the weft threads is a ribbon thread and in that the said ribbon thread forms, on the surface of the cloth, projecting loops having at least one sharp edge, so that the coefficient of friction of the thread is increased thereby, in particular the cloth/cloth coefficient.

The invention also relates to a bag for transporting and storing goods in bulk, characterised in that it is produced, at least partly, by means of said cloth.

The following description, given by way of example, refers to the drawing, in which:

Figure 1 shows a piece of cloth according to the invention and illustrates the irregularity, intentional and ordered, caused by the application of the method according to the invention.

Figure 2 illustrates a detail of the piece of cloth depicted in Figure 1.

Figure 3 illustrates a detail of a thread of the cloth depicted in Figures 1 and 2.

3a

The key, that is to say the heart of the invention, lies in the manner of making the cloth. For the type of cloth used for manufacturing bags of the type concerned, it is possible to use both flat weaving looms and circular looms. The method according to the invention applies equally well to both.

The method consists in intentionally misadjusting the weaving loom, that is to say using it according to parameters where it is known pertinently that they are not optimal, in theory at least. In concrete terms, the theoretically ideal tension of at least one weft shuttle is reduced so as to cause

in the weave, which is otherwise tensioned and even, at least one slightly loosened thread which profits from its relative freedom in order to create, on the two faces of the cloth, kinds of regular meanders of low magnitude and relatively close together despite everything.

In Figure 2, which illustrates the preferential variant of the cloth and of the bag according to the invention, there can be seen a woven cloth 1 with a thread which is in the form of a fine ribbon or tape, consequently the weave constitutes a kind of draughtsboard. It should be noted that the loops formed by the woven thread are slightly loosened. Such threads result from films which are extruded and cut into fine tapes by means of knives. Once the tape has been cut, the thread is wound in order then to be used on a loom.

In Figure 3, it can be seen that, because of the fact that the thread is in the form of a fine tape, each loop 2 has a fairly sharp edge 3, which acts as a scraper, which considerably increases resistance to slip.

In this way, the prime function of the bag, that is to say holding its contents, is not altered, since the loosened thread does not result in forming holes through which the merchandise could escape.

It is of course unnecessary to give here the tension values since they are peculiar to each loom, but anyone could obtain the required result by means of a few tests and thus choose the reduction in tension which best suits his tool.

As depicted in Figure 1, the cloth 1 produced according to the method which has just been described has the particularity of an overall regular weave including nevertheless an abnormality (or several if the tension of several shuttles is reduced) which consists in the repetition, at regular intervals, of a succession of protuberances 2 which

correspond to the thread or threads which meander more freely and with more magnitude than the others.

As a result the cloth has a coefficient of friction greater than a traditional cloth made with the same supplies and on the same loom.

The final beneficiary of this greater coefficient of friction is obviously the bag made with the cloth according to the invention since its resistance to slip is increased in a spectacular manner.

An empirical experiment was conducted in order to attempt to discern, rather than strictly measure, the advantage of the invention. This experiment took place as follows. On a board placed horizontally the first step was to fix, pressed against the board, a piece of cloth according to the invention, nailing it at its edges. A 50 kilo bag duly filled was then deposited, completely produced with the cloth according to the invention. Then one of the ends of the board was raised as far as the inclination at which the bag slipped and came adrift. The operation was then repeated by disposing the bag according to various orientations. Then the same experiment was carried out by nailing a traditional cloth and using a bag manufactured also from a traditional cloth.

Although this is a case neither of scientific values nor of absolute values, it should however be noted that, for a board two metres long, the traditional bag slipped on average as from an elevation of 67 centimetres of one of the ends of the board. The same experiment with the cloth according to the invention, as has just been described, indicated that on average the bag began to slip as from an elevation of 136 centimetres. In other words, and without claiming scientific exactitude, it can be seen even so that the gain is from single to double.

It should be emphasised here that it is not the properties of the bag and cloth in absolute terms which are decisive, that is to say the expression of these properties vis-à-vis the environment whatever it may be. On the contrary, it is indeed the effect of cooperation between them of two bags according to the invention which is sought and obtained.

This constitutes a remarkable advantage of the invention, particularly if it is noted that this advantage is obtained at zero cost, which is rarely enough the case to be recorded.

Certainly, a little more thread is consumed, but this is insignificant. On the other hand, in order to apply the method, it is necessary to recourse neither to additional instruments or tools, nor to thread of a different quality from that used on the other shuttles. The properties of the thread, with the exception solely of the tension applied, remain constant, and a perfect homogeneity of the properties of the cloth is guaranteed. Finally, as merely and solely the tension is acted on, the change from a setting according to the invention to a traditional setting, and vice-versa, is very rapid, so that the sequencing of different works does not give rise to unnecessary immobilisation of the loom, which would be the case if at least one thread of a different nature were used.

7

Claims

- 1. A method for manufacturing, on a circular or flat weaving loom, a cloth (1) with warp threads and weft threads, characterised in that in the weft at least one ribbon thread (2) is used and in that there is applied to it a weaving tension less than that of the other weft threads, ribbons or not, a lesser tension chosen so that the said ribbon thread forms, on the surface of the cloth, projecting loops having at least one sharp edge (3), so that the coefficient of friction of the cloth is increased thereby, in particular the cloth/cloth coefficient.
- A manufacturing method according to claim 1, characterised in that ribbon threads are used for all the weft threads.
- 3. A cloth suitable for the manufacture of bags and having warp threads and weft threads, characterised in that at least one of the weft threads is a ribbon thread and in that the said ribbon thread (2) forms, on the surface of the cloth, projecting loops having at least one sharp edge (3), so that the coefficient of friction of the thread is increased thereby, in particular the cloth/cloth coefficient.
- 4. A cloth according to claim 3, characterised in that all the weft threads are ribbon threads.
- 5. A bag for transporting and storing goods in bulk, characterised in that it is produced, at least partly, by means of a cloth as defined in claim 3.
- 6. A bag for transporting and storing goods in bulk, characterised in that it is produced, at least partly, by means of a cloth as defined in claim 4.

. . . .

Abstract

The manufacturing method makes it possible to weave a cloth, notably for manufacturing bags for transporting goods, so that the cloth has, for constant external parameters, an increased coefficient of friction affording better resistance of the bags to slipping. The method consists in reducing the tension of at least one weft shuttle during weaving. The cloth thus manufactured includes the repetition at regular intervals of a succession of protuberances which correspond to the thread or threads which meander more freely and with great magnitude than the others.




Fig. 1





Fig.2



ase type a plus sign (+) inside the	ction Act of 1995, no persons	Datast and Tradema	4 Office: U.S. F	rough 9/30/00.	DE COMMERCE	Ź				
a valid OMB control number		Attorney Docke	t Number			_				
DECLARATION F		First Named Inv	entor	Piero	Schinasi					
PATENT API		CO	MPLETE IF	KNOWN						
(37 CFR		Application Number								
		Filing Date								
Submitted OR	Declaration Submitted after Initial	Group Art Unit			,					
with Initial Filing	Filing (surcharge (37 CFR 1.16 (e)) required)	Examiner Name				_				
for making said fabric the specification of which is stached hereto OR was slied on (MANDOYMM) [1] or stached hereto OR was slied on (MANDOYMM) [2] or slied by the first of the shows indefined specification Number or PCT International Application Number [PCII/CH OU/OUAT] and was amended on (MANDOYMM) [3] or slied bits I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendering topolicarly referred to above. I becknowledge the dwy to disclose information which is maledal to palentability as defined in 37 CFR 1.56. I benefit claim is only a priority benefits under 35 U.S.C. 1190/49 or 26(5t) of any foreign application (b) or palent or inventor's confliction. Set SSS) of any foreign application for the deposition which designated at least one country often than the United States of Amentics, leaded below and have also identified below, by checking the box, any foreign application for palent or benefits to, or of any PCF themselsooid application having a filing date before that of the explication which pricely is claimed.										
Prior Foreign Application		Foreign Filing Date	Priority Not Claimed		opy Attached?					
1638/99	CH C	<u>(мй/юмүүү)</u> 09/08/1999	0000	0000						
Additional foreign applicati	ion numbers are listed on a se	applomental priority data	sheet PTO/SB/	028 attached he	rela:					
Therefor claim the benefit under 25 U.S.C., 119(e) of any Lithbed States provisional application (a state of the state o										
Burden Hour Statement: 1	This form is estimated to take	[Page 1 of 2] to 0.4 hours to complete	a. Time will was	y depending up	on the seeds of the Chief Inform	of i				

biofichal cass. Any commerts on the amount of time you are required to complete this form should be sent to an index retorness. Officer, Platfer and Trademati Officer, Weshington, DC 2023.1 DO NOT SERVI PRES OR COMPLETED FORMS TO THE ADDRESS, SEND TO: Assistant Commissioner for Patents, Washington, DC 2023.1

Please type a	Under	(+) inside this box the Paperwork Re I OMB control num	duction A		i, no persons	Patent ar are require	d Trademark O	ffice; U.S	S. DEPA	h 9/30/00. ON VRTMENT OF	COMMERC
DE	CLA	RATION	<u> </u>	Utili	ty or	<u>Desi</u>	n Pate	ent .	App	plicati	on
I hereby claim United States United States Information wit and the nation	the bene of Americ or PCT in sich is ma al or PCT	fit under 35 U.S.C. ca, fisted below en ternational applica- terial to patentabli international filing	120 of a d, insofar ion in the ly as defi date of th	y United as the se manner p ined in 37 is applicat	States applications of the states of the sta	ration(s), or r of each of he first para hich becam	365(c) of any P the claims of t graph of 35 U.S e available bet	CT intentials appli C. 112, ween the	national cation i I ackno i filing d	application de s not disclose wledge the du fate of the pric	signating the d in the prior by to disclose or application
U.	.S, Pare	ent Application		T Pare	nt	Parent Filing Date Parent Patent Number (MM/DD/YYYY) (if applicable)					
As a named by	mater I b	CT international agency appoint the f	doudon e	and thorough	acactitlaned a						
and Trademark	Office co	ereby appoint the I nnecled therewith:	☐ Cue	stomer Nu	mber		ration number li		- [Place Cust Number Bar Lahel he	Code
	Name		T	Regi	stration mber	T	Nan				stration mber
Cliffor	d W,	Browning		32	,201	6	37)				
		practitioner(s) nar ence to: Cu	stomer i		A Registered	Practitions				attached here ondence add	
Name	Gli	fford-W,									-
Address	111	Monument	Circ	le, I	Bank Or	e Cen	er/Towe	r			
Address	Sui	te_3700_									
City	Ind	ianapolis				State	IN	ZIP	462	04-5137	-
Country	Uni	ted State	8	Telepho	ne (317)634-	3456	Fax	(31	7)637-7	561
believed to be	hereby decises that all statements made beein of my own becomings are true and that all statements made are loss and the statement of the control of the statement of the control of the c									o made are	
Name of Se	ole or F	irst inventor:				☐ A pet	tion has been	filed fo	r this u	nsigned inve	ntor
Given Name (first and middle lif anyl) Family Name or Sumame											
	Pie	10/10	0			. ــــــــــــــــــــــــــــــــــــ	S	chin	asi		
Inventor's Signature	/	SM	n		al	1X				Date	1/3/0
Residence: (ску	Epalinge	s	State		Countr	Switz	erla	nd	Citizenship	IT,
Post Office A	ddress	49, ch	emir	de	la Gi	rarde					

1066

Switzerland

lease type a plus sign (Unde valid	+) inside this box -> + + er the Paperwork Reduction Act OMB control number.	t of 1995, n	o persons	Pate are req	ent an uired t	d Trademark Office	e: U.S. D	ough 9/30/98. EPARTMENT (OF COMMED
C	ECLARATIO	N				ADDITIOI Suppi Pa	NAL INV lementa ge _1_ c	/ENTOR(S) al Sheet f _1_	
Name of Additio	nal Joint Inventor, if an	ıy:		□^	petiti	on has been fik	ed for thi	s unsigned in	ventor
Given Na	me (first and middle (if any	D				Family Na	me or S	urname	
J	Dennis 🔾 🗸	W				Fear	on		
inventor's Signature	Z	-/1	'~	nor			I	3.02	
Residence: City	Angus	State		Co	watry	U.K.		Citizenship	u.K.
Post Office Address	c/o SG Baker	Ltd	, Un:	ion	St	reet			
Post Office Address	Friockheim, And	gus DD	11 41	ľD					
city	Angus Cor	State		z	ир I	DD11 4TD	Country	U.K.	
Name of Addition	nal Joint Inventor, if an	y:		□^	petitic	n has been file	d for this	unsigned in	entor
Given Na	me (first and middle [if any])		1		Family Na	ne or Su	mame	
Inventor's Signature								Date	
Residence: City		State		Con	untry			Citizenship	
Post Office Address									
Post Office Address									
City		State			ZIP		Countr	у	
Name of Addition	nal Joint Inventor, if an	y:		□ ^	petitio	n has been file	d for this	unsigned in	rentor
Given Na	me (first and middle [if any])				Family Nar	ne or Su	rname	
inventor's Signature								Date	
Residence: City		State			untry			Citizenship	

Deutsch Hour Editionneit. This town is estimated to take 0.4 cours to complete. The will very appearing upon its needs of the brightful exact. An ormanised to the feed recorded feet are determined from the feet recorded feet are determined for the second of the series of the course of the feet of the feet

Post Office Address

+

REGISTERED PRACTITIONER INFORMATION (Supplemental Sheet)

		(Supplemental Sileet)				
Name	Registration Number	Name	Registration Number			
Harold R. Woodard	16,214					
C. David Emhardt	18,483	1	1			
Joseph A. Naughton, Jr.	19,814					
John V. Moriarty	.2 6,207 -	•				
John C. McNett	25 ,533 -					
Thomas Q. Henry	_28 ,309					
James M. Durlacher	28,840					
Charles R. Reeves	28,750					
Vincent O. Wagner	29,596		1			
Steve Zlatos	30,123					
Spiro Bereveskos	30,821					
William F. Bahret	31,087					
Clifford W. Browning	32,201		į			
R. Randall Frisk	<u>32,221</u> .					
Daniel J. Lueders	32,581	i				
Kenneth A. Gandy	33,386	1	1			
Timothy N. Thomas	35,714					
Kerry P. Sisselman	37,237	1				
Kurt N. Jones	37,996-	i				
John H. Allie	39 ,088 ^.	ľ	I			
Holiday W. Banta	40,311	1				
Troy J. Cole	35,102	ł	1			
L. Scott Paynter	<u>39,797</u>		1			
J. Andrew Lowes	40,706		- 1			
Charles J. Meyer	41,996	i				
Darrin Wesley Harris	40,636					
Matthew R. Schantz	40,800		1			
Gregory B. Coy	40,967	Ī	1			
Lisa A. Hiday	40,036.					
John V. Daniluck	40,581_	1				
Christopher A. Brown	41,642	1	1			
Jason J. Schwartz	43,910	. 1	1			
Arthur J. Usher IV	41,359	l l				
Douglas A. Collier	43,556	i				
Scott J. Stevens	29,446	j				
James B. Myers	42,021_					

Burrior Host Statement The torn is eastnessed to take 0.4 hours to complete. Time will very depending upon the needed of he individual case. Am comments on the amount of time you go executed to complete the form should be sent to the One-time domination officer, Panel and Trademarko

+

Rev. 3/19/99

::ODMA\PCDOCS\WENMM DB\4228\1